MycoKeys 19: 45–54 (2017)
doi: 10.3897/mycokeys.19.11565
http://mycokeys.pensoft.net

RESEARCH ARTICLE

A peer-reviewed open-access journal
MycoKeys
Launched to accelerate biodiversity research

Corrigenda for: "*Micromphale* sect. *Perforantia* (Agaricales, Basidiomycetes); Expansion and phylogenetic placement" published in MycoKeys, doi: 10.3897/mycokeys.18.10007

Ronald H. Petersen[1], Karen W. Hughes[1]

1 *Ecology & Evolutionary Biology, University of Tennessee, Knoxville, TN37996-1100 USA*

Corresponding author: *Ronald H. Petersen* (repete@utk.edu)

Academic editor: *T. Lumbsch* | Received 24 December 2016 | Accepted 24 December 2016 | Published 25 January 2017

Citation: Petersen RH, Hughes KW (2017) Corrigenda for: "*Micromphale* sect. *Perforantia* (Agaricales, Basidiomycetes); Expansion and phylogenetic placement" published in MycoKeys, doi: 10.3897/mycokeys.18.10007. MycoKeys 19: 45–54. https://doi.org/10.3897/mycokeys.19.11565

It came to our attention after our manuscript was published that Appendix Table "Collections used for molecular analyses" was not final version. We provide below the new table with corrected information.

Copyright *Ronald H. Petersen, Karen W. Hughes.* This is an open access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Appendix

Collections used for molecular analyses

Herbarium Designation/Other designation	Name	Location	ITS GenBank No.	LSU GenBank No.	ITS+LSU GenBank No.
	Environmental sample	USA: New Jersey		AF241340[1]	
	Environmental sequence	Czech Republic	JX029948[3]		
	Environmental sequence: House dust	Finland	AM901982[3]		
/AFToL ID 1718	*Omphalotus olearius*			DQ470816[1]	
/AFToL ID 1758	*Gymnopus contrarius*			DQ457670[1]	
/ATCC 42962	*Lentinula edodes*			AF042579[1]	
/CBS 174.78	*Connopus acervatus*			AF223172[1]	
/CULTENN04929	*Gymnopus* sp. 3 (*G. inflatotrama* nom. prov.)	USA: North Carolina			KY026744[1]
/CULTENN04975	*Gymnopus* sp. 16 (*G. novae-angliae* nom. prov.)	USA: New York, Franklin Co.			KY026745[1]
/CULTENN05015	*Marasmius pallidocephalus*	Canada: Nova Scotia			KY026746[1]
/CULTENN05021h1	*Gymnopus androsaceus*	Canada: Nova Scotia			KY026747[1]
/CULTENN05021h2	*Gymnopus androsaceus*	Canada: Nova Scotia			KY026748[1]
/CULTENN05037	*Gymnopus androsaceus*	Canada: Nova Scotia	KY026749	no sequence	
/CULTENN05609	*Gymnopus androsaceus*	USA: Idaho			KY026750[1]
/CULTENN14594	*Micromphale brevipes*	USA: Mississippi			KY026751[1]
/CULTENN14599	*Micromphale brevipes*	USA: Mississippi			KY026752[1]
/CULTENN14606	*Micromphale brevipes*	USA: Mississippi			KY026753[1]
/GLM: 45933	*Collybia hariolorum*	Germany		AY207166[1]	
/JEJ.574	*Marasmiellus opacus*			AF261329[1]	
/JEJ.586	*Marasmius scorodonius*			AF261331[1]	
/JEJ.PR.213	*Gymnopus* sp.			AF261326[1]	
/JEJ.VA.567	*Micromphale foetidum*			AF261328[1]	
/JM leg Murakami	*Omphalotus japonicus*			AF135172[1]	
/JMCR.143	*Caripia montagnei*			AF261327[1]	
/JMRC143	*Caripia montagnei*		DQ449988	AF261327[1]	

Herbarium Designation/Other designation	Name	Location	ITS GenBank No.	LSU GenBank No.	ITS+LSU GenBank No.
/LE-BIN 1178	*Gymnopus confluens*	USA: North Carolina	KP710282	KJ189580[1]	
/LE-BIN 1232	*Rhodocollybia butyracea* var. *asema*	Russia: Leningrad area			KY026754[1]
/LE-BIN 1364	*Gymnopus peronatus*	Russia			KY026755[1]
/LE-BIN 1898	*Gymnopus peronatus*	Russia: Samara area			KY026756[1]
/LE-BIN 2526	*Rhodocollybia butyracea* var. *asema*	Russia			KY026757[1]
/PBM2201	*Anthracophyllum archeri*			AY745709[1]	
/T1946.8	*Omphalotus nidiformis*			AF042621[1]	
/TM03_419	*Gymnopus scorodonius*	Canada		EU522806[1]	
AV100918	*Gymnopus perforans* subsp. *transatlanticus*	Canada: Newfoundland			KY026743[2,3]
BRNM:568	*Marasmius alliaceus*			AY639436[1]	
DAOM175382	*Marasmius scorodonius*			AF261332[1]	
DUKE: RV.PR.98.08	*Gymnopus* sp.			AF261334[1]	
DUKE: RV192.01	*Gymnopus polyphyllus*			AF042596[1]	
DUKE: RVPR1308	*Nothopanus eugrammus*	Puerto Rico		AF042577[1]	
DUKE: RVPR27	*Neonothopanus nambi*	Puerto Rico 117 clades		AF135175[1]	
DUKE: RVPR98.46	*Gymnopus* sp.			AF261333[1]	
DUKE:RV.PR98.13	*Gymnopus* sp.			AF261335[1]	
DUKE:RV98/32	*Gymnopus biformis*			AF261336[1]	
GLM: 45932	*Gymnopus erythropus*	Germany		AY207167[1]	
GLM: 45959	*Marasmius alliaceus*	Germany		AY207234[1]	
GLM: 45964	*Gymnopus foetidus*	Germany		AY207240[1]	
HN2270	*Marasmiellus opacus*			AF261330[1]	
HN4730	*Marasmius androsaceus*			AF261585[1]	
MICH50942	*Gymnopus* sp. 8 (*G. resinose* nom. prov.)		KY026758		
NYBG: Halling6509	*Gymnopus fusipes*			AY639414[1]	
SFSU: DEH1304	*Gymnopus luxurians*			AY639421[1]	
SFSU: AAW127	*Gymnopus vitellinipes*			AY639432[1]	
SFSU: AR099	*Gymnopus diminutus*			AY639413[1]	
SFSU: AWW01	*Gymnopus brunneigracilis*			AY639412[1]	

Herbarium Designation/Other designation	Name	Location	ITS GenBank No.	LSU GenBank No.	ITS+LSU GenBank No.
SFSU: AWW02	*Gymnopus menehune*			AY639423[1]	
SFSU: AWW03	*Gymnopus indoctus*			AY639418[1]	
SFSU: AWW05	*Gymnopus nonnullus*			AY639426[1]	
SFSU: AWW10	*Gymnopus* aff. *moseri*			AY639409[1]	
SFSU: AWW106	*Gymnopus termiticola*			AY639430[1]	
SFSU: AWW112	*Gymnopus gibbosus*			AY639417[1]	
SFSU: AWW113	*Gymnopus* aff. *menehune*			AY639408[1]	
SFSU: AWW116	*Gymnopus bicolor*			AY639411[1]	
SFSU: AWW118	*Gymnopus aurantiipes*			AY639410[1]	
SFSU: AWW126	*Gymnopus sepiiconicus*			AY639427[1]	
SFSU: AWW12a	*Gymnopus gibbosus*			AY639415[1]	
SFSU: AWW15	*Gymnopus menehune*			AY639424[1]	
SFSU: AWW54	*Gymnopus melanopus*			AY639422[1]	
SFSU: AWW87	*Gymnopus menehune*			AY639425[1]	
SFSU: DED5258	*Gymnopus synodicus*			AY639435[1]	
SFSU: DED5607	*Marasmius copelandii*			AY639438[1]	
SFSU: DED5873	*Rhodocollybia laulaha*			AY639441[1]	
SFSU: DED6628	*Marasmius applanatipes*			AY639437[1]	
SFSU: DED6674	*Gymnopus subpruinosus*			AY639429[1]	
SFSU25220	*Gymnopus quercophilus*	USA: California			KY026761[1]
SFSU-DED5097	*Gymnopus* sp. 9 (*G. novomundi* nom. prov.)	USA: Unknown			KY026759[1]
SFSU-DED8813	*Gymnopus* sp. 10 (*G. adventitius* nom. prov.)				KY026760[1]
TENN: F-55620 /TFB8960	*Marasmius alliaceus*	Russia: Caucasus Region	no sequence	AY635776[1]	
TENN: F-57910	*Gymnopus luxurians*	USA: North Carolina	AF505765	AY256709[1]	
TENN:F- 59217 /TFB11333	*Gymnopus fusipes*	France	AY256710[2]	KY019635[1]	
TENN:F- 59295 /TFB11434	*Gymnopus foetidus*	Austria	KJ416259	KY019636[1]	
TENN:F- 59540 /TFB9889	*Gymnopus juniperinus*	USA: Louisiana	AY256708	KY019637[1]	
TENN:F- 59592 /TFB11629	*Gymnopus perforans* subsp. *perforans*	Russia			KY026662[1,3]
TENN:F- 59594 /TFB11631	*Gymnopus androsaceus*	Russia			KY026663[1]

Herbarium Designation/Other designation	Name	Location	ITS GenBank No.	LSU GenBank No.	ITS+LSU GenBank No.
TENN:F- 59641 /TFB11608	*Gymnopus foliiphilus*	USA: Tennessee, Blount Co.			KY026664[1]
TENN:F- 59896 /TFB11778	*Marasmius pallidocephalus*	USA: Tennessee, GSMNP	FJ596762	KY019638 [1]	
TENN:F- 60015 /TFB11786	*Gymnopus* aff. *dryophilus*	USA: Tennessee, GSMNP	FJ596766	KY019639[1]	
TENN:F- 60029 /TFB11601	*Gymnopus dichrous* I	USA: Tennessee, GSMNP			KY026665[1]
TENN:F- 61125 /TFB12563	*Gymnopus dysodes*	USA: Tennessee, Knox Co.	KY026666	FJ750265[1]	
TENN:F- 61128 /TFB12567	*Gymnopus dichrous*	USA: North Carolina, GSMNP	FJ596783	KY019640[1]	
TENN:F- 61138 /TFB12577	*Gymnopus subnudus*	USA: Tennessee, GSMNP	KY026667	FJ750262[1]	
TENN:F- 61211 /TFB13121c2	*Gymnopus perforans* subsp. *transatlanticus*	Canada: Quebec			KY026668[1,2,3]
TENN:F- 61211 /TFB13121c3	*Gymnopus perforans* subsp. *transatlanticus*	Canada: Quebec			KY026669[1,2,3]
TENN:F- 61211 /TFB13121c4	*Gymnopus perforans* subsp. *transatlanticus*	USA:Tennessee, GSMNP			KY026670[2,4]
TENN:F- 61587 /TFB13319c1	*Gymnopus perforans* subsp. *transatlanticus*	Canada:Quebec			KY026671[2,3]
TENN:F- 61587 /TFB13319c2	*Gymnopus perforans* subsp. *transatlanticus*	Canada: Quebec			KY026672[2,3]
TENN:F- 61587 /TFB13319c3	*Gymnopus perforans* subsp. *transatlanticus*	Canada:Quebec			KY026673[2,3]
TENN:F- 61587 /TFB13319c4	*Gymnopus perforans* subsp. *transatlanticus*	Canada:Quebec			KY026674[2,3]
TENN:F- 61587 /TFB13319c5	*Gymnopus perforans* subsp. *transatlanticus*	Canada: Quebec			KY026675[1,2,3]
TENN:F- 65115 /TFB13739	*Marasmiellus vaillantii*	USA: Tennessee, GSMNP			KY026676[1]
TENN:F- 65120 /TFB13743	*Gymnopus peronatus*	Belgium			KY026677[1]
TENN:F- 65135 /TFB13758	*Gymnopus ocior*	Belgium			KY026678[1]
TENN:F- 65157 /TFB13781h1	*Gymnopus* aff. *dryophilus*	Belgium			KY026679[1]
TENN:F- 65157 /TFB13781h2	*Gymnopus* aff. *dryophilus*	Belgium			KY026680[1]
TENN:F- 65571 /TFB13875	*Gymnopus foliiphilus*	USA: North Carolina			KY026681[2]
TENN:F- 65806 /TFB13911	*Gymnopus foetidus*	USA, NC			KY026682[1]
TENN:F- 65808 /TFB13913	*Gymnopus pinophilus*	USA: North Carolina			KY026683[1,2]
TENN:F- 65829 /TFB13933h1	*Marasmius pallidocephalus*	USA: New York			KY026684[1]
TENN:F- 65829 /TFB13933h2	*Marasmius pallidocephalus*	USA: New York			KY026685[1]
TENN:F- 65912 /TFB13975h1	*Gymnopus spongiosus*	USA: Mississippi			KY026686[1]
TENN:F- 65912 /TFB13975h2	*Gymnopus spongiosus*	USA: Mississippi			KY026687[1]
TENN:F- 65926 /TFB13989c1	*Rhodocollybia maculata*	USA: Mississippi			KY026688[1]

Herbarium Designation/Other designation	Name	Location	ITS GenBank No.	LSU GenBank No.	ITS+LSU GenBank No.
TENN:F- 65926 /TFB13989c5	*Rhodocollybia maculata*	USA: Mississippi			KY026689[1]
TENN:F- 65990 /TFB14048	*Gymnopus foliiphilus*	USA: North Carolina			KY026690[2]
TENN:F- 66344 / TFBSAT11-179-05	*Marasmius pallidocephalus*	USA: Tennessee, GSMNP			KY026691[1]
TENN:F- 67804 /TFB14059h1	*Gymnopus pinophilus*	USA: North Carolina			KY026692[2]
TENN:F- 67804 /TFB14059h2	*Gymnopus pinophilus*	USA: North Carolina			KY026693[2]
TENN:F- 67809 /TFB14063	*Gymnopus foliiphilus*	USA: North Carolina			KY026694[2]
TENN:F- 67846 /TFB14097	*Gymnopus pinophilus*	USA: North Carolina			KY026695[2]
TENN:F- 67854 /TFB14107	*Gymnopus luxurians*	USA: Tennessee, GSMNP	KJ416241	KY019641[1]	
TENN:F- 67858 /TFB14110	*Gymnopus barbipes*	USA: Tennessee, GSMNP	KJ416269	KY019642[1]	
TENN:F- 67859 /TFB14111ss1	*Gymnopus dichrous* I	USA, TN, GSM			KY026696[1]
TENN:F- 67859 /TFB14111ss2	*Gymnopus dichrous* II	USA, TN, GSM			KY026697[1]
TENN:F- 67881 /TFB14131	*Rhodocollybia maculata*	Germany			KY026698[1]
TENN:F- 68085 /TFB14228	*Gymnopus* aff. *melanopus*	USA: Tennessee, GSMNP			KY026699[1]
TENN:F- 68088 /TFB14253	*Rhodocollybia maculata*	USA: Roan Mountain			KY026700[1]
TENN:F- 68133 /TFB14278	*Gymnopus nonnullus*	USA, MS			KY026701[1]
TENN:F- 68136 /TFB14281	*Gymnopus disjunctus*	USA, MS	KJ416253	KY019643[1]	
TENN:F- 68142 /TFB14288	*Gymnopus* afn. *dichrous*	USA: Mississippi		KY019643[1]	
TENN:F- 68144 /TFB14290	*Gymnopus pseudoluxurians*	USA: Mississippi	KJ416242		KY026702[1]
TENN:F- 68145 /TFB14291	*Gymnopus foliiphilus*	USA: Mississippi			KY026703[2]
TENN:F- 68165 /TFB14282	*Gymnopus micromphaleoides*	USA: Mississippi	KJ416243	KY019645[1]	
TENN:F- 68169 /TFB14317	*Rhodocollybia maculata*	USA: Connecticut			KY026704[1]
TENN:F- 68183 /TFB14332	*Gymnopus foliiphilus*	USA: Connecticut			KY026705[2]
TENN:F- 68184 /TFB14333	*Gymnopus spongiosus*	USA: Connecticut			KY026706[1]
TENN:F- 68185 /TFB14334h1	*Gymnopus* sp. 17 (*G. utriformis* nom. prov.)	USA: Connecticut			KY026707[1]
TENN:F- 68185 /TFB14334h2	*Gymnopus* sp. 17 (*G. utriformis* nom. prov.)	USA: Connecticut			KY026708[1]
TENN:F- 68190 /TFB14340	*Gymnopus foetidus*	USA: Connecticut			KY026709[1]
TENN:F- 68198 /TFB14348	*Gymnopus perforans* subsp. *transatlanticus*	USA: New York			KY026710[2,3]
TENN:F- 69000 /TFB14350h1	*Gymnopus perforans* subsp. *transatlanticus*	USA: New York			KY026711[1,2,3]

Herbarium Designation/Other designation	Name	Location	ITS GenBank No.	LSU GenBank No.	ITS+LSU GenBank No.
TENN:F- 69000 /TFB14350h2	*Gymnopus perforans* subsp. *transatlanticus*	USA: New York			KY026712[1,2,3]
TENN:F- 69033 /TFB14368h1	*Rhodocollybia butyracea*	Canada: New Brunswick, Fundy Provincial Park			KY026713[1]
TENN:F- 69033 /TFB14368h2	*Rhodocollybia butyracea*	Canada: New Brunswick, Fundy Provincial Park			KY026714[1]
TENN:F- 69042 /TFB14377	*Gymnopus perforans* subsp. *transatlanticus*	Canada: New Brunswick, Fundy Provincial Park			KY026715[2,3]
TENN:F- 69047 /TFB14382	*Rhodocollybia butyracea*	Canada: New Brunswick			KY026716[1]
TENN:F- 69049 /TFB14384h1	*Gymnopus perforans* subsp. *transatlanticus*	Canada: New Brunswick			KY026717[2,3]
TENN:F- 69049 /TFB14384h2	*Gymnopus perforans* subsp. *transatlanticus*	Canada: New Brunswick			KY026718[2,3]
TENN:F- 69059 /TFB14395h1	*Gymnopus perforans* subsp. *transatlanticus*	Canada: New Brunswick			KY026719[2,3]
TENN:F- 69059 /TFB14395h2	*Gymnopus perforans* subsp. *transatlanticus*	Canada: New Brunswick			KY026720[2,3]
TENN:F- 69086 /TFB14422	*Gymnopus foliiphilus*	USA: Arkansas			KY026721[2]
TENN:F- 69182 /TFB14489	*Micromphale brevipes*	USA: Mississippi			KY026722[1]
TENN:F- 69189 /TFB14498	*Gymnopus pallidocephalus*	USA: Mississippi			KY026723[1]
TENN:F- 69206 /TFB14511h1	*Gymnopus pinophilus*	USA: North Carolina			KY026724[2]
TENN:F- 69206 /TFB14511h2	*Gymnopus pinophilus*	USA: North Carolina			KY026725[2]
TENN:F- 69212 /TFB14517	*Gymnopus pinophilus*	USA: North Carolina			KY026726[2]
TENN:F- 69254 /TFB14558	*Gymnopus fusipes*	Slovakia			KY026727[1]
TENN:F- 69267 /TFB14570h1	*Gymnopus quercophilus*	Slovakia			KY026728[1]
TENN:F- 69267 /TFB14570h2	*Gymnopus quercophilus*	Slovakia			KY026729[1]
TENN:F- 69280 /TFB14583h1	*Gymnopus foetidus*	Slovakia			KY026730[1]
TENN:F- 69280 /TFB14583h2	*Gymnopus foetidus*	Slovakia			KY026731[1]
TENN:F- 69307 /TFB14611	*Gymnopus perforans* subsp. *transatlanticus*	USA: North Carolina	\	KY019646[1]	
TENN:F- 69310 /TFB14607	*Micromphale brevipes*	USA: Alabama			KY026732[1]
TENN:F- 69311 /DPL11763A	*Micromphale brevipes*	USA: Texas			KY026733[1]
TENN:F- 69318 /TFB14613h1	*Gymnopus perforans* subsp. *transatlanticus*	USA: Vermont			KY026734[1,2,3]
TENN:F- 69318 /TFB14613h2	*Gymnopus perforans* subsp. *transatlanticus*	USA: Vermont			KY026735[1,2,3]
TENN:F- 69320 /TFB14615	*Gymnopus quercophilus*	USA: California			KY026736[1]

Herbarium Designation/Other designation	Name	Location	ITS GenBank No.	LSU GenBank No.	ITS+LSU GenBank No.
TENN:F- 69321 /TFB14616	*Gymnopus quercophilus*	USA: California			KY026737[1]
TENN:F- 69322 /TFB14617	*Marasmiellus* sp.	USA: Georgia			KY026738[1]
TENN:F- 69323 /TFB14618	*Gymnopus foetidus*	USA: Georgia			KY026739[1]
TENN:F- 69325 /TFB14620h1	*Gymnopus sequoiae*	USA: California			KY026740[1,2,3]
TENN:F- 69325 /TFB14620h2	*Gymnopus sequoiae*	USA: California			KY026741[1,2,3]
TENN:F- 69340 /TFB14592	*Gymnopus perforans* subsp. *transatlanticus*	USA: New Hampshire			KY026742[2,3]
TENN:F- TENN:F-TENN:F-53488 /TFB5627	*Gymnopus ponderosae*	USA: Idaho			KY026639[1,2]
TENN:F-0319 /TFB4722h1	*Gymnopus perforans* subsp. *perforans*	Sweden			KY026624[1,2,3]
TENN:F-48143 /TFB2221	*Gymnopus* sp. 4 (*G. inflatotrama* nom. prov)	USA: North Carolina			KY026619[1]
TENN:F-48443 /TFB1871	*Gymnopus afn dichrous*	USA: North Carolina	AF505766	KY019625[1]	
TENN:F-50013 /DED5272	*Gymnopus foliiphilus*	USA: Tennessee, GSMNP			KY026620[2]
TENN:F-50116 /TFB3940	*Marasmius* sp. 1 (*TENN50116*)	Australia: Tasmania			KY026621[1]
TENN:F-50135 /TFB4033	*Gymnopus* sp. 7 (*G. austrobrevipes* nom. prov.)	Australia			KY026622[1]
TENN:F-50318 /TFB4721	*Gymnopus perforans* subsp. *perforans*	Sweden			KY026623[1,2,3]
TENN:F-50319 /TFB4722h2	*Gymnopus perforans* subsp. *perforans*	Sweden			KY026625[1,2,3]
TENN:F-50346 /TFB4749	*Mycetinis scorodonius*	Switzerland	DQ450006	KY019626[1]	
TENN:F-50482 /TFB3745	*Gymnopus androsaceus*	Scotland	DQ444312	KY019627[1]	
TENN:F-50540 /TFB4204	*Gymnopus peronatus*		DQ450017	KY019628[1]	
TENN:F-50761 /TFB3642	*Gymnopus foliiphilus*	USA: Tennessee, GSMNP			KY026626[1, 2]
TENN:F-50765 /TFB3646	*Gymnopus* sp. 9 (*G. novomundi* nom. prov.)	USA: Tennessee, GSMNP		KY019629[1]	
TENN:F-50999 /TFB4512	*Gymnopus* sp. 1 (*G. portoricensis* nom prov.)	Puerto Rico			KY026627[1]
TENN:F-51029 /TFB4548h1	*Micromphale brevipes*	Puerto Rico			KY026628[1]
TENN:F-51029 /TFB4548h2	*Micromphale brevipes*	Puerto Rico			KY026629[1]
TENN:F-51221 /TFB4902h1	*Gymnopus foliiphilus*	USA: Georgia			KY026630[1,2]
TENN:F-51221 /TFB4902h2	*Gymnopus foliiphilus*	USA: Georgia			KY026631[1,2]
TENN:F-51233 /TFB4919	*Gymnopus* sp. 3 (*G. inflatotrama* nom. prov.)	USA: North Carolina, Standing Indian State Park			KY026632[1]
TENN:F-51244 /TFB4928	*Gymnopus foliiphilus*	USA: North Carolina			KY026633[2]

Herbarium Designation/Other designation	Name	Location	ITS GenBank No.	LSU GenBank No.	ITS+LSU GenBank No.
TENN:F-51574 /TFB5256	*Gymnopus pinophilus*	USA: North Carolina			KY026634[1,2]
TENN:F-52401 /TFB5610	*Marasmius pallidocephalus*	USA: Idaho			KY026635[1]
TENN:F-52427 /TFB5698	*Marasmius pallidocephalus*	USA: Washington			KY026636[1]
TENN:F-52970 /TFB6520	*Gymnopus iocephalus*	USA: North Carolina	DQ449984	KY019630[1]	
TENN:F-53149 /TFB3591	*Gymnopus* sp. 7 (*G. austrobrevipes* nom. prov.)	Australia:Tasmania			KY026637[1]
TENN:F-53181 /TFB3585	*Gymnopus* sp. 7 (*G. austrobrevipes* nom. prov.)	Australia:Tasmania			KY026638[1]
TENN:F-53490 /TFB4930	*Gymnopus* sp. 3 (*G. inflatotrama* nom. prov.)	USA: North Carolina			KY026640[1]
TENN:F-53516 /TFB7476	*Connopus acervatus*	Finland	GU318373-77	FJ750259[1]	
TENN:F-53579 /TFB7477	*Gymnopus perforans* subsp. *perforans*	Finland			KY026641[1,2,3]
TENN:F-53596 /TFB7498	*Connopus acervatus*	Finland	GU318378	FJ750256[1]	
TENN:F-53683 /TFB7572	*Gymnopus* sp. 6 (*G. caulocystidiatus* nom. prov.)	New Zealand			KY026642[1]
TENN:F-53721 /TFB7588	*Gymnopus* sp. 6 (*G. caulocystidiatus* nom. prov.)	New Zealand			KY026643[1]
TENN:F-53725 /TFB7589	*Gymnopus* sp. 6 (*G. caulocystidiatus* nom. prov.)	New Zealand:North Island			KY026644[1]
TENN:F-54050 /TFB7148	*Gymnopus* sp. 6 (*G. caulocystidiatus* nom. prov.)	New Zealand			KY026645[1]
TENN:F-54057 /TFB7179	*Micromphale* sp.	New Zealand: North Island		KY019631[1]	
TENN:F-54912 /TFB9087	*Micromphale brevipes*	USA: Louisiana			KY026646[1]
TENN:F-55210 /TFB8782	*Gymnopus foliiphilus*	USA: South Carolina			KY026647[2]
TENN:F-55679 /TFB9031	*Gymnopus* sp. 15 (*G. frigidomarginatus* nom. prov.)	USA: California			KY026648[1]
TENN:F-55748 /TFB9121	*Gymnopus luxurians*	USA: Louisiana			KY026649[1]
TENN:F-55764 /TFB9166h1	*Gymnopus foliiphilus*	USA: Tennessee, GSMNP			KY026650[1,2]
TENN:F-55764 /TFB9166h2	*Gymnopus foliiphilus*	USA: Tennessee, GSMNP			KY026651[1,2]
TENN:F-55904 /TFB6985	*Gymnopus fusipes*	Scotland		AF135795[1]	
TENN:F-56223 /TFB7243	*Gymnopus foliiphilus*	USA: North Carolina			KY026652[2]
TENN:F-56291 /TFB8682ss2	*Lentinula raphanica*	USA: Louisiana			KY026653[1]
TENN:F-56721 /TFB10009	*Gymnopus* aff. *dichrous* I	USA: North Carolina			KY026654[1]
TENN:F-56727 /TFB10015h1	*Gymnopus dichrous* I	USA: North Carolina			KY026655[1]
TENN:F-56727 /TFB10015h2	*Gymnopus dichrous* I	USA: North Carolina			KY026656[1]
TENN:F-56925 /TFB4419	*Anthracophyllum lateritium*	USA: Louisiana		AF261324[1]	
TENN:F-57787 /TFB10292ss6	*Lentinula boryana*	Mexico			KY026657[1]

Herbarium Designation/Other designation	Name	Location	ITS GenBank No.	LSU GenBank No.	ITS+LSU GenBank No.
TENN:F-57923 /TFB10364	*Gymnopus foliiphilus*	USA: North Carolina			KY026658[2]
TENN:F-58295 /TFB10826	*Gymnopus perforans* subsp. *perforans*	Russia			KY026659[2,3]
TENN:F-58602 /TFB10494	*Gymnopus* sp.	Costa Rica	KY026660	FJ750263[1]	
TENN:F-58613 /TFB11005	*Gymnopus mesoamericanus*	Costa Rica	DQ450035	KY019632[1]	
TENN:F-58624 /TFB11016	*Gymnopus biformis*	Costa Rica	DQ450056	KY019633[1]	
TENN:F-58988 /TFB10782	*Gymnopus juniperinus*	Argentina			KY026661[1]
TENN:F-59140 /TFB11039	*Gymnopus earleae*	USA: Tennessee, GSMNP	DQ449994	KY019634[1]	
TENN:F-59300 /TFB11439	*Gymnopus fusipes*	Austria	AF505777[2]	AY256711[1]	
TENN:F-60951 /TFB12836	*Gymnopus villosipes*	New Zealand: Fiordland	KJ416255	FJ750264[1]	
TENN:F-62824 /TFB13579	*Connopus acervatus*	USA: Idaho	GU318393	FJ750261[1]	
TENN:F-62824 /TFB13579	*Connopus acervatus*	USA: Idaho	GU318394	FJ750261[1]	
TENN:F-65128 /TFB13751	*Marasmiellus ramealis*	Belgium		KJ189565[1]	
TENN:F-65131 /TFB13754	*Gymnopus confluens*	Belgium	KP710288	KJ189571[1]	
TENN:F-65132 /TFB13755	*Marasmiellus ramealis*	Belgium	KJ416235	KJ189566[1]	
TENN:F-65835 /TFB13939	*Gymnopus confluens*	USA, NY	KP710284	KJ189579[1]	
TENN:F-67864 /TFB14114	*Gymnopus confluens*	Germany	KP710295	KJ189573[1]	
TENN:F-68110 /TFB14251	*Gymnopus biformis*	USA: Tennessee, GSMNP	KJ416245	KJ189567[1]	
TENN:F-69123 /09-09-26 AV13	*Gymnopus eneficola*	Canada: Newfoundland	KJ128264	KJ189586[1]	
TENN:F-69127 /06-09-02 AV01	*Gymnopus eneficola*	Canada: Newfoundland	KJ128267	KJ189588[1]	
TENN:F-69215 /TFB14250	*Gymnopus biformis*	USA: Georgia	KJ416246	KJ189568[1]	
UBC25212h1	*Gymnopus sublaccatus*	Canada: British Columbia			KY026762[1,2,3]
UBC25212h2	*Gymnopus sublaccatus*	Canada: British Columbia			KY026763[1,2,3]
WRW05-1170	*Gymnopus* sp.	USA: West Virginia			KY026764[1]
WRW08-462	*Gymnopus subnudus*	USA: West Virginia			KY026765[1]
WTU31851	*Marasmius pallidocephalus*			KY019647[1]	

[1] Fig 85 LSU only; [2] Figure 86, ITS plus LSU; [3] Figure 87 ITS only. GSMNP=Great Smoky Mountains National Park. h1, h2= haplotypes. c1, c2, etc.=clones.